

AD-A067 827

NAVAL RESEARCH LAB WASHINGTON D C
DESTRUCTION OF CYCLOTRON RESONANCES IN WEAKLY COLLISIONAL, INHO--ETC(U)
APR 79 J D HUBA, S L OSSAKOW


F/G 4/1

UNCLASSIFIED

NRL-MR-3916

NL

| OF |
AD
A067827



END
DATE
FILMED
6-79
DDC

LEVEL

NRL Memorandum Report 3916

Destruction of Cyclotron Resonances in Weakly Collisional, Inhomogeneous Plasmas

J. D. HUBA


*Science Applications, Inc.
McLean, Va. 22101*

and

S. L. OSSAKOW

*Geophysical & Plasma Dynamics Branch
Plasma Physics Division*

AD A067827



April 10, 1979

This research was sponsored partially by the Defense Nuclear Agency under Subtask I25AAXYX960, Work Unit Code 17, Title "Scintillation Description"; and partially by the Office of Naval Research.



NAVAL RESEARCH LABORATORY
Washington, D.C.

Approved for public release; distribution unlimited.

DDC FILE COPY

79 04 25 028

9 Memorandum rept.

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER NRL Memorandum Report 3916	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) DESTRUCTION OF CYCLOTRON RESONANCES IN WEAKLY COLLISIONAL, INHOMOGENEOUS PLASMAS		5. TYPE OF REPORT & PERIOD COVERED Interim report on a continuing NRL problem
7. AUTHOR(s) J. D. Huba S. L. Ossakow		6. PERFORMING ORG. REPORT NUMBER
9. PERFORMING ORGANIZATION NAME AND ADDRESS Naval Research Laboratory Washington, D.C. 20375		8. CONTRACT OR GRANT NUMBER(s)
11. CONTROLLING OFFICE NAME AND ADDRESS Defense Nuclear Agency, Washington, D.C. 20305 & Office of Naval Research, Arlington, VA 22217		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS NRL Problems 67H02-42D and 67A03-16B DNA Subtask I25AAXYX960
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		12. REPORT DATE April 1979
15. SECURITY CLASS. (of this report) UNCLASSIFIED		13. NUMBER OF PAGES 27
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		14. DECLASSIFICATION/DOWNGRADING SCHEDULE N/A
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report) 14 NRL-MR-3916		
18. SUPPLEMENTARY NOTES This research was sponsored partially by the Defense Nuclear Agency under Subtask I25AAXYX960, Work Unit Code 17, Title "Scintillation Description"; and partially by the Office of Naval Research.		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Collisional Kinetic Drift Waves Equatorial Spread F Application Cyclotron Resonances Tandem Mirror Experiment Application Ion Cyclotron Drift Instability Lower Hybrid Drift Instability Ω sub rho		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) It is shown, both analytically and numerically, that cyclotron resonances can be destroyed in dense $\omega_p > \Omega$, where ω_p is the plasma frequency and Ω is the cyclotron frequency), weakly collisional, inhomogeneous plasmas when $(\nu/\Omega)k^2 r_L^2 \gg 1$, where ν is the collision frequency and r_L is the mean Larmor radius. The theory is based upon a model Fokker-Planck equation. It is found that the particles make a transition from magnetized to unmagnetized behavior. This is an im- portant result since it indicates that the ion- and electron-cyclotron-drift instabilities transform into (ν/Ω) k^2 squared (r_L sub Ω) squared somewhat > (Continued)		

DD FORM 1 JAN 73 1473

EDITION OF 1 NOV 68 IS OBSOLETE
S/N 0102-014-6601

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

251 950

79 04 25 028

20. ABSTRACT (Continued)

sub i

their unmagnetized counterparts, the lower-hybrid-drift instability and the ion acoustic instability, respectively. The ion-cyclotron-drift instability (or drift-cyclotron instability) is examined in detail and is found to become the lower-hybrid-drift-instability in the region of maximum growth when $(m_e/m_i)^{1/2} \omega/\Omega_i \geq \nu_{ii}/\Omega_i \geq m_e/m_i$ for $T_e \approx T_i$ plasmas. The first inequality is required to overcome electron viscous damping, while the second allows the ions to become unmagnetized. Applications to the equatorial F region of the ionosphere and the Tandem Mirror Experiment (TMX) are discussed.

sub e

somewhat >

sub i

approximately equal

$$\omega/\Omega_i \text{ somewhat } > \nu_{ii}/\Omega_i$$

$$- \sqrt{m_e/m_i}$$

CONTENTS

I. INTRODUCTION	1
II. THEORY	2
III. APPLICATION: ION-CYCLOTRON-DRIFT INSTABILITY	6
IV. DISCUSSION	11
ACKNOWLEDGMENTS	14
REFERENCES	14

ACCESSION for	
NTIS	White Section <input checked="" type="checkbox"/>
SDC	Buff Section <input type="checkbox"/>
UNANNOUNCED	<input type="checkbox"/>
JUSTIFICATION	
BY	
DISTRIBUTION/AVAILABILITY CODES	
0	SPECIAL
A	

DESTRUCTION OF CYCLOTRON RESONANCES IN WEAKLY COLLISIONAL, INHOMOGENEOUS PLASMAS

I. INTRODUCTION

We investigate the effect of like particle collisions (i.e., ion-ion and electron-electron collision) on short wavelength, electrostatic cyclotron instabilities in weakly collisional, inhomogeneous plasmas. That is, for $\nu/\Omega \ll 1$ and $k_{\perp}^2 r_L^2 \gg 1$ where ν is the collision frequency, Ω is the cyclotron frequency and r_L is the mean Larmor radius. We base our analysis on a model Fokker-Planck equation originally proposed by Chandresekhar¹ and applied to a homogeneous, unmagnetized plasma by Lenard and Bernstein² and to a homogeneous, magnetized plasma by Dougherty.³ Dougherty found that cyclotron resonances could be destroyed by collisions if $\nu/\Omega \gtrsim 1$ or $(\nu/\Omega)k_{\perp}^2 r_L^2 \gtrsim 1$. The latter condition is particularly interesting since it indicates that cyclotron waves with $k_{\perp}^2 r_L^2 \gg 1$ may not exist even though $\nu/\Omega \ll 1$. Physically this occurs because the particles can diffuse a distance $L_D \sim (\nu/\Omega)^{1/2} r_L$ in one gyroperiod. If this distance is greater than a wavelength (i.e., $(\nu/\Omega)k_{\perp}^2 r_L^2 \gtrsim 1$) then the cyclotron wave cannot maintain its coherence. In fact, it has been shown analytically that the electron-Bernstein-mode dispersion equation makes a transition to the ion-acoustic-mode dispersion equation (i.e., the electrons become "unmagnetized") when $(\nu_{ee}/\Omega_e)k_{\perp}^2 r_{Le}^2 \gtrsim 1$.⁴ We mention that this case has been studied numerically and such a transition was not observed.⁵

We demonstrate in this paper that in weakly collisional, inhomogeneous plasmas, the ion- and electron-cyclotron drift instabilities transform into their unmagnetized counterparts, the lower-hybrid-drift and the ion acoustic instabilities, respectively. We discuss the ion-cyclotron-drift instability (also known as the drift-cyclotron instability)⁶ in detail and show it becomes the

lower-hybrid-drift instability⁷ in the region of maximum growth when $(m_e/m_i)^{1/2} (\omega/\Omega_i) \geq \nu_{ii}/\Omega_i \geq m_e/m_i$ for $T_e \approx T_i$ plasmas. The first inequality is required to overcome electron viscous damping, while the second allows the ions to become "unmagnetized." Applications to the equatorial Spread F phenomenon⁸ and the Tandem Mirror Experiment (TMX)⁹ are discussed.

We point out that several Russian authors have also studied the effects of collisions on instabilities in inhomogeneous plasmas. Mikhailovskii and Pogutse¹⁰ have derived a general dispersion tensor, including electrostatic and electromagnetic perturbations, based on the Bhatnagar-Gross-Krook (BGK) collision model.¹¹ Rukhadze and Silin¹² base their analysis on the Landau collision integral and discuss a variety of drift instabilities. However, neither of the above studies treat the limit $(\nu/\Omega) k_{\perp}^2 r_L^2 \geq 1$ and hence, do not find a transition to "unmagnetized" behavior.

The structure of the paper is as follows. In the next section we derive a general dispersion equation for electrostatic waves in a weakly collisional, inhomogeneous plasma based upon a model Fokker-Planck equation. In Section III we apply this theory to the ion-cyclotron-drift instability, presenting both analytical and numerical results. Finally, in the last section we discuss the implications of these results for both space and laboratory plasmas.

II. THEORY

A. Physical Configuration and Assumptions

The physical configuration which we consider is described as follows. The equilibrium magnetic field is $\mathbf{B} = B_0 \hat{e}_z$, the density varies only in the x direction and the temperature is assumed constant. The density gradient produces a cross-field drift given by $\mathbf{U}_0 = V_d \hat{e}_y$, where $V_d = (v_m^2/2\Omega) \partial \ln n / \partial x$ is the diamagnetic drift velocity. Here, $v_m^2 = 2T/m$ is the thermal

velocity and $\Omega = qB_0/mc$ is the cyclotron frequency for a species with temperature T , charge q and mass m . We treat only electrostatic oscillations and assume perturbation quantities to vary as $\exp[-i(\mathbf{k} \cdot \mathbf{x} - \omega t)]$ where $\mathbf{k} = k_\perp \hat{e}_\perp + k_\parallel \hat{e}_\parallel$. We make use of the local approximation which requires $kL_n \gg 1$ where $L_n = (\partial \ln n / \partial x)^{-1}$ is the scale length of the density inhomogeneity. The equilibrium distribution function used in the analysis is¹³

$$f_0 = n_0(x) \left(\frac{1}{\pi v_{th}^2} \right)^{3/2} \exp [-(\mathbf{v} - \mathbf{U}_0)^2 / v_{th}^2]. \quad (1)$$

where we emphasize that this is a self-consistent Vlasov equilibrium for strongly inhomogeneous plasmas (i.e., $L_n \geq r_L$ where r_L is the mean gyroradius) locally, say at $x = x_0$.

B. Model Fokker-Planck Equation

We choose the following model Fokker-Planck equation to describe collisional effects¹⁻³

$$\frac{\partial f}{\partial t} + \mathbf{v}_j \cdot \frac{\partial f}{\partial \mathbf{x}_j} + \frac{q}{m} (\mathbf{E} + \frac{1}{c} \mathbf{v} \times \mathbf{B})_j \frac{\partial f}{\partial v_j} - \nu \frac{\partial}{\partial v_j} \left[(v_j - U_j) f + \frac{T}{m} \frac{\partial f}{\partial v_j} \right] \quad (2)$$

where $n = \int d^3 \mathbf{v} f$, $nV_j = \int d^3 \mathbf{v} v_j f$ and $3nT = \int d^3 \mathbf{v} m(\mathbf{v} - \mathbf{V})^2 f$. The first term in brackets represents friction and is taken to be proportional to the velocity relative to the mean velocity. This is a reasonable approximation for thermal particles but is incorrect for "tail" particles. The second term represents diffusion and is chosen to be isotropic which requires the Debye length to be less than the mean Larmor radius. This model describes small-angle collisions and is particularly useful in handling like particle collisions.

Linearizing Eq. (2) we obtain

$$\frac{\partial f_1}{\partial t} + \mathbf{v}_j \cdot \frac{\partial f_1}{\partial \mathbf{x}_j} + \left[\frac{q}{m} \left(\frac{1}{c} \mathbf{v} \times \mathbf{B}_0 \right)_j - \nu (v_j - U_{j0}) \right] \frac{\partial f_1}{\partial v_j} - 3\nu f_1 - \nu \frac{v_{th}^2}{2} \frac{\partial^2 f_1}{\partial v_j^2} = h(\mathbf{x}, \mathbf{v}, t) \quad (3)$$

where

$$h(\mathbf{x}, \mathbf{v}, t) = \frac{q}{m} \frac{\partial \phi_1}{\partial x_j} \frac{\partial f_0}{\partial v_j} + \nu \frac{\partial}{\partial v_j} \left[-u_j f_0 + \frac{T_1}{m} \frac{\partial f_0}{\partial v_j} \right]. \quad (4)$$

$$n_1 = \int d^3v f_1, n_0 u_j = \int d^3v v_j f_1, 3n_0(T_1/T_0) = (2/v_{th}^2) \int d^3v (v - U_0)^2 f_1 \quad \text{and} \quad v_{th}^2 = 2T_0/m.$$

Here, the subscripts 0 and 1 denote unperturbed and perturbed quantities, respectively, and

$$U_j = U_{j0} + u_j.$$

We can cast Eq. (3) into a form which can be solved using a Green's function³ by the following transformation: $\mathbf{x} \rightarrow \mathbf{x} + \mathbf{V}t$ and $\mathbf{v} \rightarrow \mathbf{v} + \mathbf{V}$ where

$$V_x = \frac{\Omega v}{v^2 + \Omega^2} U_0; \quad V_y = \frac{v^2}{v^2 + \Omega^2} U_0.$$

Making use of this coordinate change we find that Eq. (3) becomes

$$\frac{\partial f_1}{\partial t} + v_j \frac{\partial f_1}{\partial x_j} + \left[\frac{q}{m} \left(\frac{1}{c} \mathbf{v} \times \mathbf{B}_0 \right)_j - \nu v_j \right] \frac{\partial f_1}{\partial v_j} - 3\nu f_1 - \nu \frac{v_{th}^2}{2} \frac{\partial^2 f_1}{\partial v_j^2} = h(\mathbf{x}, \mathbf{v}, t) \quad (5)$$

and h is defined by Eq. (4) with the transformation reflected in f_0 . We point out that the above coordinate transformation is sign dependent (through the diamagnetic drift velocity U_0) and cannot be made simultaneously for both species. However, this does not create a serious problem since we only consider collisional effects on a single species. Moreover, since we are interested in the situation where $\nu/\Omega \ll 1$ and $k_L^2 r_L^2 \gg 1$ we note that (1) the old reference frame is a good approximation to the new one and (2) the final term in Eq. (4) can be neglected.⁴ Thus, within the context of these assumptions, we consider

$$\frac{\partial f_1}{\partial t} + v_j \frac{\partial f_1}{\partial x_j} + \left[\frac{q}{m} \left(\frac{1}{c} \mathbf{v} \times \mathbf{B}_0 \right)_j - \nu v_j \right] \frac{\partial f_1}{\partial v_j} - 3\nu f_1 - \nu \frac{v_{th}^2}{2} \frac{\partial^2 f_1}{\partial v_j^2} = \frac{q}{m} \frac{\partial \phi_1}{\partial x_j} \frac{\partial f_0}{\partial v_j} \quad (6)$$

to describe electrostatic oscillations in a weakly collisional, inhomogeneous plasma where f_0 is defined by Eq. (1). The important physics contained in Eq. (6) is the modification of the unperturbed orbits to include a resistive term and the diffusion of perturbations as they are connected along an unperturbed orbit.

C. Derivation of the Dispersion Equation

The dispersion equation for electrostatic perturbations is

$$D(\omega, k) = 1 + \sum_{\alpha} \chi_{\alpha} = 0 \quad (7)$$

where χ_α is the susceptibility of species α is defined by $\chi_\alpha \phi_1 = -(4\pi e_\alpha/k^2) n_{\alpha 1}$. Thus, we only need to know the perturbed density in order to determine the linear behavior of electrostatic waves. In order to compute the perturbed density we follow the method of Dougherty and employ a Green's function.³ We only present the results here and refer the interested reader to Ref. 3 for the mathematical details. In the absence of collisions, the Green's function is a δ function and perturbations are simply convected along the unperturbed orbit. When collisions are included, the perturbations also spread out due to the diffusion as well as being convected along the unperturbed orbit (which now includes a resistive term). Thus, the Green's function becomes a Gaussian distribution in phase space.

Using notation similar to Dougherty, we find

$$n_1 = \frac{2}{v_{th}^2} a^\mu H_\mu \quad (8)$$

where

$$H_\mu = \left[i \frac{\partial}{\partial \rho^\mu} I \right]_{\sigma=\rho=0}, \quad (9)$$

$$I = \frac{n_0}{\Omega} \int_0^\infty d\tau \exp[i\tilde{\omega}\tau - \Phi(\tau) - \Psi(\tau)], \quad (10)$$

$$\Phi(\tau) = \frac{1}{2} k_\perp^2 r_L^2 [\cos\theta + \tilde{\nu}\tau - \exp(-\tilde{\nu}\tau)\cos(\tau - \theta)] \quad (11)$$

$$+ \frac{1}{2} \frac{k_\parallel^2 r_L^2}{\tilde{\nu}^2} [\tilde{\nu}\tau - 1 - \exp(-\tilde{\nu}\tau)]$$

$$+ i \frac{k_\perp U_0}{\Omega} [\exp(-\tilde{\nu}\tau)\sin\tau + \tilde{\nu}(1 - \exp(-\tilde{\nu}\tau)\cos\tau)],$$

$$\begin{aligned} \Psi(\tau) = & \frac{v_{th}^2}{2} \left\{ \frac{1}{2} \sigma_\lambda \sigma^\lambda + \frac{1}{2} \rho_\lambda \rho^\lambda + \frac{k_\lambda \sigma^\lambda}{\Omega} \frac{1 - \exp[-(\tilde{\nu} - i\lambda)\tau]}{\tilde{\nu} - i\lambda} \right. \\ & + \frac{k_\lambda \rho^\lambda}{\Omega} \frac{1 - \exp[-(\tilde{\nu} + i\lambda)\tau]}{\tilde{\nu} + i\lambda} + \sigma_\lambda \rho^\lambda \exp[-(\tilde{\nu} + i\lambda)\tau] \\ & \left. + \frac{2i\sigma_\lambda U_0^\lambda}{U_{th}^2} \exp[-(\tilde{\nu} + i\lambda)\tau] \right\}, \end{aligned} \quad (12)$$

$$a^\mu = -\frac{q}{m} \phi_1 (ik^\mu - \epsilon_n^\mu),$$

$\theta = 2 \tan^{-1} \tilde{\nu}$, $\tilde{\nu} = \nu/\Omega$, $\tilde{\omega} = \omega/\Omega$ and $\epsilon_n^\mu = (\partial \ln n / \partial x_\mu)_{x=x_0}$. Note that we use a polarized coordinate system (x^1, x^0, x^{-1}) where $x^1 = (1/\sqrt{2})(x + iy)$, $x^0 = z$ and $x^{-1} = (1/\sqrt{2})(x - iy)$. This transformation is unitary but not orthogonal so we must distinguish contravariant and covariant vectors.

Making use of Eqs. (8) - (12), we arrive at

$$\chi = \frac{2\omega_p^2}{k^2 v_{th}^2} \left\{ 1 + i \left[\frac{\omega - k_\perp U_0}{\Omega} \right] \int_0^\infty d\tau \exp[i\tilde{\omega}\tau - \Phi(\tau)] \right\} \quad (13)$$

where $\omega_p^2 = 4\pi n q^2/m$. We emphasize that this expression for χ is only valid for $\nu/\Omega \ll 1$ and $k_\perp^2 r_L^2 \gg 1$. Note that in the limit $L_n \rightarrow \infty$ (i.e., $U_0 \rightarrow 0$), Eq. (13) reduces to a result equivalent to that derived by Allan and Sanderson⁴ and in the collisionless limit ($\tilde{\nu} = 0$) becomes

$$\chi = \frac{2\omega_p^2}{k^2 v_{th}^2} \left\{ 1 + i \left[\frac{\omega - k_\perp U_0}{\Omega} \right] \int d\tau \exp \left\{ i\omega\tau + \frac{1}{2} k_\perp^2 r_L^2 (\cos\tau - 1) - i \frac{k_\perp U_0}{\Omega} \sin\tau \right. \right. \\ \left. \left. + \frac{1}{4} k_\parallel r_L^2 \tau^2 \right\} \right\} \quad (14)$$

which is a standard result.¹⁵

III. APPLICATION: ION-CYCLOTRON-DRIFT INSTABILITY

The ion-cyclotron-drift (ICD) instability (also known as the drift-cyclotron instability)⁶ has received considerable attention in the past 15 years. It is thought to play an important role as an anomalous transport mechanism in a variety of "collisionless" plasmas (e.g., post-implosion stage of a theta pinch,¹⁶ solenoidal section of TMX,¹⁷ the polar cusp,¹⁸ the ionosphere,¹⁹ the Earth's magnetotail²⁰). The instability can be excited when $L_n/r_{Li} < (m_i/m_e)^{1/2}/l$ and is characterized by $\omega_r \sim l\Omega_i$ and $\gamma \sim l\Omega_i(m_e/m_i)^{1/4}$ where $\omega = \omega_r + i\gamma$ and l is the ion cyclotron harmonic number. Maximum growth occurs for $\mathbf{k} \cdot \mathbf{B} = 0$ (i.e., $k_\parallel = 0$) with

$kr_{Le} \sim (T_e/T_i)^{1/2}$ in dense plasmas (i.e., $\omega_{pe}^2 \gg \Omega_e^2$). Note that to satisfy the condition $(\nu_{ii}/\Omega_i)k_{\perp}^2 r_{Li}^2 \geq 1$ at maximum growth, we require

$$\frac{\nu_{ii}}{\Omega_i} \geq \frac{m_e}{m_i}. \quad (15)$$

For a hydrogen plasma, Eq. (15) implies that if $(\nu_{ii}/\Omega_i) \geq 5 \times 10^{-4}$, ion-ion collisions will destroy the cyclotron resonances and hence, the ICD instability. However, rather than drive the plasma to stability we demonstrate, both analytically and numerically, the transformation of the ICD instability to the lower-hybrid-drift (LHD) instability in the presence of weak ion-ion collisions.

The dispersion equation under consideration is

$$D(\omega, k) = \frac{1}{2} + \chi_i + \chi_e = 0 \quad (16)$$

where

$$\chi_i = \frac{2\omega_{pi}^2}{k^2 v_i^2} \left[1 + i \left(\frac{\omega - k_{\perp} V_{di}}{\Omega_i} \right) \int_0^{\infty} d\tau \exp(i\omega\tau/\Omega_i - \Phi_i(\tau)) \right], \quad (17)$$

$$\chi_e = \frac{2\omega_{pe}^2}{k^2 v_e^2} \left[1 - \exp(b_e) I_0(b_e) \left(1 - \frac{k_{\perp} V_{de}}{\omega} \right) \right], \quad (18)$$

and

$$\begin{aligned} \Phi_i(\tau) = & \frac{1}{2} k_{\perp}^2 r_{Li}^2 \left[\cos\sigma + \tilde{\nu}_i \tau - \exp(-\tilde{\nu}_i \tau) \cos(\tau - \theta) \right] \\ & + i \frac{k_{\perp} V_{di}}{\Omega_i} \left[\exp(-\tilde{\nu}_i \tau) \sin\tau + \tilde{\nu}_i (1 - \exp(-\tilde{\nu}_i \tau) \cos\tau) \right], \end{aligned} \quad (19)$$

$$\tilde{\nu}_i = \nu_{ii}/\Omega_i, \quad b_e = \frac{1}{2} k^2 r_{Le}^2, \quad \omega_{p\alpha}^2 = 4\pi n e_{\alpha}^2 / m_{\alpha}, \quad v_{\alpha}^2 = 2T_{\alpha}/m_{\alpha}, \quad V_{d\alpha} = (v_{\alpha}^2/2\Omega_{\alpha})(\partial \ln n/\partial x)_{x=x_0}$$

$\Omega_{\alpha} = e_{\alpha} B_0 / m_{\alpha} c$, I_l is the modified Bessel function of order l . The simple form chosen for the electron susceptibility is valid since $\Omega_i \lesssim \omega \ll \Omega_e$ and it is assumed that $\nu_{ei}/\Omega_e \ll 1$, $\nu_{ee}/\Omega_e \ll 1$ and $\nu_{ee} k^2 r_{Le}^2 \ll \omega$ (i.e., the electrons are collisionless). The final condition is required to avoid collisional damping due to electron viscosity²¹ and will be discussed further in

the final section. We emphasize that Eq. (17) is valid only in the regime $\nu_{ii}/\Omega_i \ll 1$ and $k_{\perp}^2 r_{Li}^2 \gg 1$.

A. Analytical Results

$$i. \quad \bar{\nu}(k^2 r_{Li}^2) \ll 1$$

In the limit $\bar{\nu}(k^2 r_{Li}^2) \ll 1$, $\bar{\nu} \ll 1$ and $k^2 r_{Li}^2 \gg 1$ collisional effects can be ignored and we find that

$$\chi_i = \frac{2\omega_{pi}^2}{k^2 \nu_i} \left[1 - \frac{\omega - kV_{di}}{\Omega} \frac{\sqrt{\pi}}{kr_{Li}} \cot(\pi\bar{\omega}) \right] \quad (20)$$

and

$$\chi_e = \frac{2\omega_{pe}^2}{k^2 \nu_e^2} \left[1 - \left(1 - \frac{kV_{de}}{\omega} \right) \exp(-b_e) I_0(b_e) \right] \quad (21)$$

which are the standard results for the ion-cyclotron-drift instability. Noting that

$$\pi \cot(\pi z) = \sum_{m=-\infty}^{\infty} \frac{1}{z - m}, \quad \text{we can rewrite Eq. (20) in a more conventional form}^6$$

$$\chi_i = \frac{2\omega_{pi}^2}{k^2 \nu_i^2} \left[1 - \frac{1}{\sqrt{\pi}} \frac{1}{kr_{Li}} \sum_m \frac{\omega - kV_{di}}{\omega - m\Omega} \right] \quad (22)$$

where $(\sqrt{\pi}kr_{Li})^{-1}$ is the large argument expansion of $I_m \left[\frac{1}{2} k^2 r_{Li}^2 \right] \exp \left[-\frac{1}{2} k^2 r_{Li}^2 \right]$. The ion

cyclotron resonances are apparent in Eq. (22).

$$ii. \quad \bar{\nu}(k^2 r_{Li}^2) \geq 1$$

In the limit $\bar{\nu}(k^2 r_{Li}^2) \geq 1$, $\bar{\nu} \ll 1$ and $k^2 r_{Li}^2 \gg 1$ we can again approximate the electron susceptibility by Eq. (21). However, the ion susceptibility is changed substantially from Eq. (20). We consider Eqs. (17) and (19) and point out that for $k_{\perp}^2 r_{Li}^2 \gg 1$ the dominant contribution to the integrand occurs in the vicinity of $\tau \approx 2\pi m$ ($m = 0, 1, 2, \dots$). We let $\tau = 2\pi m + t$ and obtain

$$\int_0^\infty d\tau \exp(i\tilde{\omega}\tau - \Phi_i(\tau)) \approx \int_0^{\delta_0} dt \exp \left[i \left(\frac{\omega - kV_{di}}{\Omega} \right) t - \frac{1}{2} k^2 r_{Li}^2 t^2 \right] \quad (23)$$

$$+ \sum_{m=1}^\infty \int_{2\pi m - \delta_m}^{2\pi m + \delta_m} dt \exp \left[i \left(\frac{\omega - kV_{di}}{\Omega} \right) t - \frac{1}{2} k^2 r_{Li}^2 t^2 \right] \exp[-2\pi k^2 r_{Li}^2 m \tilde{\nu}] \exp \left[+2\pi i m \left(\frac{\omega - kV_{di}}{\Omega_i} \right) \right]$$

where $\delta_0, \delta_m \ll 1$. Clearly when $\tilde{\nu}(k^2 r_{Li}^2) \geq 1$, the first term in Eq. (23) is dominant and we find (letting $\delta_0 \rightarrow \infty$) that

$$\chi_i \approx \frac{2\omega_{pi}^2}{k^2 v_i^2} [1 + \zeta_i Z(\zeta_i)] \quad (24)$$

where $\zeta_i = (\omega - kV_{di})/k v_i$, and we have made use of the relation

$$Z(\zeta) = i\sqrt{\pi} \exp(-\zeta^2) [1 + \operatorname{erf}(i\zeta)]. \quad (25)$$

Thus, the dispersion equation becomes

$$D(\omega, k) = 1 + \frac{2\omega_{pi}^2}{k^2 v_i^2} [1 + \zeta_i Z(\zeta_i)] + \frac{2\omega_{pe}^2}{k^2 v_e^2} \left[1 - \left[1 - \frac{kV_{de}}{\omega} \right] \exp(-b_e) I_0(b_e) \right] \quad (26)$$

which describes the lower-hybrid-drift instability.⁷ Physically, the instability is excited since the ions can now move across the field lines and be in resonance with the drift wave. We mention that this analysis parallels that of Allan and Sanderson who considered electron Bernstein modes in a homogeneous plasma.²² Finally, note from Eq. (23) that the ICD instability will also transform into the LHD instability in the strong drift velocity regime (i.e. $\gamma > \Omega_i$).

B. Numerical Analysis

We now solve Eqs. (15)-(18) numerically. As a relevant example, we consider the equatorial *F* region of the ionosphere where the dominant ionic component is O^+ so that $m_i = 16 m_p$. Recent experimental observations indicate intense VHF and UHF radar backscatter during equatorial spread *F* resulting from density irregularities of 1 m and 36 cm, respectively.¹⁹ These irregularities correspond to wavelengths such that $k^2 r_{Li}^2 \gg 1$. Since there is also evidence of density inhomogeneities with scale lengths $L_n/r_{Li} \leq (m_i/m_e)^{1/2}$,²³ it has been suggested that the ICD or LHD instabilities are responsible for the irregularities. Also, because $\nu_{ii}/\Omega_i < 10^{-2}$ ion-ion collisions can play a significant role and a numerical study is required.

In Fig. 1 we show γ/Ω_i vs. kr_{Le} and kr_{Li} for typical ionospheric parameters: $T_e = T_i$, $\omega_{pe}/\Omega_e = 10.0$, $V_{di}/v_i = 0.037$ which corresponds to $L_n \approx 13 r_{Li} (\approx 75 \text{ m})$ and $\nu_{ii}/\Omega_i = 0.0, 10^{-6}, 10^{-5}, 10^{-4}$. We comment that wave growth also occurs for $kr_{Le} > 1.5$ but has not been plotted. We first indicate the wave growth spectrum for the LHD instability (—) where we have used Eq. (25). The spectrum is broadband with maximum growth at $kr_{Le} \approx 1.2$ with $\omega_r \approx 3.0 \Omega_i$ and $\gamma \approx 0.08 \Omega_i$. Growth occurs for $kr_{Le} < 0.15$ but is very weak (i.e., $\gamma < 10^{-3} \Omega_i$). For $\nu_{ii}/\Omega_i = 0.0$ (— · — · —) we see that the first three cyclotron harmonics of the ICD instability are excited with maximum growth occurring at $kr_{Le} \approx 1.0$ with $\omega_r \approx 3.0 \Omega_i$ and $\gamma \approx 0.15 \Omega_i$. As ν_{ii}/Ω_i is increased to 10^{-6} (— — — —) we already note a change in the wave spectrum. Although the harmonic structure is maintained, the maximum growth rate decreases 6% and growth is extended beyond $kr_{Le} \sim 1.45$ for the 3rd harmonic. For $\nu_{ii}/\Omega_i = 10^{-5}$ (·····) a more dramatic change occurs in the wave spectrum as the harmonic structure becomes distorted. The wave spectrum collapses to the LHD curve for $kr_{Le} \approx 1.4$ ($kr_{Li} \approx 210$) which corresponds to $(\nu_{ii}/\Omega_i)k^2 r_{Li}^2 \sim 0.5$. Moreover the maximum growth rate decreases by 40% to $\gamma \sim 0.09 \Omega_i$. The first two harmonics are still evident although their growth rates have decreased somewhat. When $\nu_{ii}/\Omega_i = 10^{-4}$ (xxxxx) the wave spectrum falls on the LHD curve and only the slightest hint of harmonic structure remains at $l = 1$ and $l = 2$.

Figure 2 plots γ_M/Ω_i vs. V_{di}/v_i for $T_e = T_i$, $\omega_{pe}/\Omega_e = 10.0$ and $\nu_{ii}/\Omega_i = 0, 10^{-6}, 10^{-5}, 10^{-4}$. Here γ_M is the growth rate maximized with respect to k . Again we indicate the results of the LHD instability (—) as a reference. Setting $\nu_{ii}/\Omega_i = 0$ we recover the ICD instability which displays substantially stronger growth than the LHD instability for weak drifts (i.e., $V_{di} < 0.10 v_i$). We can distinguish the excitation of the first 8 harmonics as V_{di}/v_i is increased. Also, note the transition to the LHD instability for $V_{di} > 0.11 \Omega_i$ which occurs when $\gamma \sim 0.75 \Omega_i$, as indicated earlier. For $\nu_{ii}/\Omega_i = 10^{-6}$ (— — — —) we note that the growth rates

NRL MEMORANDUM REPORT 3916

are generally reduced for $V_{\phi} < 0.085 v$, although 8 harmonics are still apparent. Increasing ν_{ii}/Ω_i to 10^{-5} (.....) causes the wave spectrum to collapse to the LHD spectrum with only the first 5 harmonics visible. Finally, for $\nu_{ii}/\Omega_i = 10^{-4}$ the curve lies on the LHD plot.

Thus, we have shown numerically that the ICD instability makes a transition to the LHD instability for $\frac{\nu_{ii}}{\Omega_i} k^2 r_{Li}^2 \geq 1$. Since growth occurs for $k^2 r_{Li}^2 \gg 1$, we find that only a very small amount of collisions $\left(\frac{\nu_{ii}}{\Omega_i} \geq 10^{-5} \right)$ is needed to cause this transition in the region of maximum growth. For typical ionospheric conditions, $10^3 \text{ cm}^{-3} \leq n \leq 10^6 \text{ cm}^{-3}$, $T_i \sim 0.1 \text{ eV}$ and $B \sim 0.3 \text{ G}$ we find that $10^{-4} \leq \frac{\nu_{ii}}{\Omega_i} \leq 10^{-1}$ so that the LHD instability should dominate when instability occurs. However, it is found that the condition $\nu_{ee} k^2 r_{Le}^2 < \omega$ is not satisfied when $n > 10^4 \text{ cm}^{-3}$ for moderate density gradients ($L_n > 8.0 r_{Li}$) and it is expected that the LHD instability will be stabilized by the viscous damping of the electrons for this situation. Hence, instability is likely to occur infrequently and will be restricted to low density regions of the F region, such as the interior of ionospheric bubbles during equatorial Spread F^{24} . We defer a more complete discussion of this instability and its application to Spread F to a subsequent report.

IV. DISCUSSION

We have demonstrated, both analytically and numerically, that cyclotron resonances can be destroyed in dense ($\omega_p > \Omega$), weakly collisional, inhomogeneous plasmas when $(\nu/\Omega) k^2 r_L^2 \geq 1$. The physical mechanism for this phenomenon is that particles can diffuse a distance $L_D \sim (\nu/\Omega)^{1/2} r_L$ in one gyroperiod due to collisions. If this distance exceeds the wavelength (i.e., $(\nu/\Omega) k^2 r_L^2 \geq 1$) then the wave can no longer maintain its coherence. This result is in accordance with the work of Dougherty³ and Allan and Sanderson⁴ who considered

only homogeneous plasmas. It is an important result since it indicates that the ion and electron drift-cyclotron instabilities transform into their unmagnetized counterparts, the lower-hybrid-drift (LHD) instability and the ion acoustic (IA) instability, respectively, for weakly collisional plasmas. We specifically discussed the ICD instability in detail and found the transition to occur in the region of maximum growth for $(\nu_{ii}/\Omega_i) \geq (m_e/m_i)$. However, we have also pointed out that electron viscous damping can stabilize the LHD instability when $\nu_{ee} k^2 r_{Le}^2 > \omega$ since electron viscosity provides a dissipative mechanism for the wave. Recognizing that $\nu_{ee} \sim (m_i/m_e)^{1/2} \nu_{ii}^{25}$, we find that $(m_e/m_i)^{1/2} \omega/\Omega_i > \nu_{ii}/\Omega_i$ is required for instability to occur in the region of maximum growth. Electron-electron collisions then have the effect of placing a threshold condition on the diamagnetic drift velocity necessary to excite the LHD instability since $\omega \sim k V_d$. Hence, "collisionless" plasmas on cyclotron time scales, such as the *F* region in the ionosphere, may in fact be strongly affected by weak collisions as we have shown.

In collisionless plasmas both the ion and electron cyclotron drift instabilities require a critical density gradient scale length to be excited. This occurs because the instabilities are produced by a coupling of a cyclotron wave $\omega_1 = \Omega$ and a drift wave $\omega_2 = k V_d$, and a critical drift velocity is therefore required to satisfy the matching condition $\omega_1 \approx \omega_2$. However, when $(\nu/\Omega) k^2 r_L^2 \geq 1$ these instabilities transform into the LHD and IA instabilities which are driven via wave-particle resonances and have different turn-on criteria. In the case of the LHD instability a critical drift velocity is required to overcome electron viscous damping as discussed above. On the other hand, the critical drift velocity for the IA instability is sensitive to T_e/T_i and may or may not be excited depending on the actual plasma conditions.

The difference in the nonlinear behavior between the ICD and LHD instabilities, and the ECD and IA instabilities is probably a more important consequence of the theory since entirely different stabilization mechanisms are operable. The ECD instability has been studied in detail

and it has been found that in the collisionless limit, resonance broadening due to turbulence effectively "unmagnetizes" the electrons and a transition is made to the IA instability.²⁶ This is the same result we have found for $(\nu_e/\Omega_e)k^2r_{Le}^2 \geq 1$. A variety of theories have been proposed for the nonlinear saturation of the IA instability and they will not be discussed here.

Recent nonlinear theories have been presented for the stabilization of the ICD instability and rely upon a nonlinear frequency shift²⁷ or low-frequency ($\omega \ll \Omega_i$) density fluctuations.²⁸ On the other hand, the suggested saturation mechanisms for the LHD instability are quasilinear stabilization,²⁹ ion trapping³⁰ and electron resonance broadening.³¹ We comment that Hasegawa's theory²⁸ concerning stabilization via low-frequency density fluctuations is also applicable to the LHD instability. We will not discuss the details of these stabilization mechanisms but simply emphasize that different saturation energies are anticipated for the ICD and LHD instabilities. Hence, the role of weak ion-ion collisions can substantially alter the nonlinear plasma response due to different anomalous transport properties.

Although we have only discussed an application of this theory to the ionosphere, we wish to point out its relevance to the Tandem Mirror Experiment (TMX).⁹ TMX will consist of a straight solenoidal plasma which is confined by conventional mirror end cells. The solenoidal section will be similar to a theta pinch and the ions are expected to have a roughly Maxwellian distribution. Since density gradients are expected with scale lengths such that $L_n/r_{Li} < (m_i/m_e)^{1/2}$, it is anticipated that the ICD instability is likely to occur. Using expected operating parameters for the solenoidal section ($T_i = 80$ eV, $n \approx 10^{13}$ cm⁻³, $B = 500$ G), we find that $\nu_{ii}/\Omega_i \sim 4 \times 10^{-3}$. Thus, we conclude that drift waves with $kr_{Li} \geq 15$ will probably be excited by the LHD instability and the nonlinear dynamics in this regime can be studied using unmagnetized ions. Of course, finite β and temperature gradient effects are also expected

to play a role in $TMX^{17,32,33}$ which are not considered in this paper. However, in principle these effects can be included in a straightforward manner and are not expected to alter this conclusion.

Finally, we point out that the Green's function method used in this work is not the most direct technique, although it lends itself to a simple physical interpretation. Recently, Catto has computed the perturbed density in a collisional, inhomogeneous plasma using a velocity transform method³⁴ which is a simpler analysis. For a more complex situation (e.g., inclusion of temperature gradients, ∇B and electromagnetic effects) this procedure would be preferable to the one outlined in this work.

ACKNOWLEDGMENTS

We wish to express our sincere thanks to Dr. J.J. Sanderson for a very beneficial communication. We also thank Dr. P.K. Chaturvedi and Dr. J. Drake for several helpful discussions, and Dr. C. S. Liu for calling our attention to the importance of electron viscosity. This research has been supported by the Defense Nuclear Agency and the Office of Naval Research.

REFERENCES

1. S. Chandrasekhar, Rev. Mod. Phys. **15**, 1 (1943).
2. A. Lenard and I.B. Bernstein, Phys. Rev. **112**, 1456 (1958).
3. J.P. Dougherty, Phys. Fl. **7**, 1788 (1964).
4. W. Allan and J.J. Sanderson, J. Plasma Phys. **15**, 41 (1976).
5. S.R. Watson and R.D. Harding, J. Plasma Phys. **3**, 465 (1969).

NRL MEMORANDUM REPORT 3916

6. A.B. Mikhailovskii and A. V. Timofeev, Zh. Eksp. Fiz. **44**, 919 (1963) [Sov. Phys. — JETP **17**, 626 (1963)].
7. R.C. Davidson and N.T. Gladd, Phys. Fl. **18**, 1327 (1975).
8. R.F. Woodman and C. LaHoz, J. Geophys. Res. **81**, 5447 (1976).
9. T.K. Fowler and G. Logan, Comments on Plasma Phys. and Cont. Fus., Vol. III, 1977.
10. A.B. Mikhailovskii and O.P. Pogutse, Zh. Tekh. Fiz. **36**, 205 (1966) [Sov. Phys. - Tech. Phys. **11**, 153 (1966)].
11. P.L. Bhatnagar, E.P. Gross and M. Krook, Phys. Rev. **94**, 511 (1954).
12. A.A. Rukhadze and V.P. Silin, Sov. Phys. Vspkhi **11**, 659 (1969).
13. R.C. Davidson and N.T. Gladd, Phys. Fl. **20**, 1516 (1977).
14. J.P. Dougherty and S.R. Watson, J. Plasma Phys. **1**, 317 (1967).
15. S.P. Gary and J.J. Sanderson, Phys. Fl. **21**, 1181 (1978).
16. J.P. Friedberg and R.A. Gerwin, Phys. Fl. **20**, 1311 (1977).
17. N.T. Gladd and J.D. Huba, Phys. Fl. (to be published, 1979).
18. L.M. Zelenyi, Sov. J. Plasma Phys. **1**, 319 (1975).
19. J.D. Huba, P.K. Chaturvedi, S.L. Ossakow and D.M. Towle, Geophys. Res. Lett. **5**, 695 (1978).
20. J.D. Huba, N.T. Gladd and K. Papadopoulos, J. Geophys. Res. **83**, 5217 (1978).

HUBA AND OSSAKOW

21. N. D. Borisov, V. V. Vaskov and A. V. Gurevich, *Fiz. Plazmy* **3**, 168 (1977) [Sov. J. Plasma Phys. **3**, 97 (1977)].
22. W. Allan and J.J. Sanderson, *Plasma Phys.* **16**, 753 (1974).
23. E. Costa and M.C. Kelley, *J. Geophys. Res.* **83**, 4359 (1978).
24. J. P. McClure, W. B. Hanson and J. H. Hoffman, *J. Geophys. Res.* **83**, 2650 (1977).
25. S. I. Braginski, in *Reviews of Plasma Physics*, edited by M. A. Leontovich, (Consultants Bureau, New York, 1965), Vol. I, p. 220.
26. M. Lampe, W.M. Manheimer, J.B. McBride, J.H. Orens, K. Papadopoulos, R. Shanny and R.N. Sudan, *Phys. Fl.* **15**, 662 (1972).
27. R.E. Aamodt, Y.C. Lee, C.S. Liu, and M.N. Rosenbluth, *Phys. Rev. Lett.* **39**, 1060 (1977).
28. A. Hasegawa, *Phys. Rev. Lett.* **40**, 938 (1978).
29. R.C. Davidson, *Phys. Fl.* **21**, 1375 (1978).
30. D. Winske and P.C. Liewer, *Phys. Fl.* **21**, 1017 (1978).
31. J.D. Huba and K. Papadopoulos, *Phys. Fl.* **21**, 121 (1978).
32. J.B. McBride and S. Hamasaki, *Phys. Fl.* **21**, 1979 (1978).
33. P.J. Catto and R.E. Aamodt, *Phys. Fl.* **21**, 1983 (1978).
34. P.J. Catto, submitted to *Phys. Fl.* (1979).

NRL MEMORANDUM REPORT 3916




Fig. 1 - Plot of γ/Ω_i vs. kr_{Ls} and kr_{Li} for $m_i = 16 m_p$, $T_e = T_i$, $\omega_{pe}/\Omega_e = 10.0$, $V_{di}/V_i = 0.037$ and $\nu_{ii}/\Omega_i = 0.0$ (---), 10^{-6} (---), 10^{-5} (.....) and 10^{-4} (x x x x x). The solid line represents the lower-hybrid-drift instability.




Fig. 2 - Plot of γ_m/Ω_i vs. V_{di}/v_i for $m_i = 16 m_p$, $T_e = T_i$, $\omega_{pe}/\Omega_e = 10.0$ and $\nu_{ii}/\Omega_i = 0.0$ (---), 10^{-6} (---), 10^{-5} (.....) and 10^{-4} (x x x x x). The solid line represents the lower-hybrid-drift instability.

DISTRIBUTION LIST

DEPARTMENT OF DEFENSE

ASSISTANT SECRETARY OF DEFENSE
COMM, CMO, CONT & INTELL
WASHINGTON, D.C. 20301
O1CY ATTN J. BABCOCK
O1CY ATTN M. EPSTEIN

ASSISTANT TO THE SECRETARY OF DEFENSE
ATOMIC ENERGY
WASHINGTON, D.C. 20301
O1CY ATTN EXECUTIVE ASSISTANT

DIRECTOR
COMMAND CONTROL TECHNICAL CENTER
PENTAGON RM BE 685
WASHINGTON, D.C. 20301
O1CY ATTN C-650
O1CY ATTN C-312 R. MASON

DIRECTOR
DEFENSE ADVANCED RSCH PROJ AGENCY
ARCHITECT BUILDING
1400 WILSON BLVD.
ARLINGTON, VA. 22209
O1CY ATTN NUCLEAR MONITORING RESEARCH
O1CY ATTN STRATEGIC TECH OFFICE

DEFENSE COMMUNICATION ENGINEER CENTER
1860 WIEHLE AVENUE
RESTON, VA. 22090
O1CY ATTN CODE R820
O1CY ATTN CODE R410 JAMES W. MCLEAN
O1CY ATTN CODE R720 J. WORTHINGTON

DEFENSE DOCUMENTATION CENTER
CAMERON STATION
ALEXANDRIA, VA. 22314
(12 COPIES IF OPEN PUBLICATION, OTHERWISE 2 COPIES)
12CY ATTN TC

DIRECTOR
DEFENSE INTELLIGENCE AGENCY
WASHINGTON, D.C. 20301
O1CY ATTN DT-18
O1CY ATTN DB-4C E. O'FARRELL
O1CY ATTN DIAAP A. WISE
O1CY ATTN DIAST-5
O1CY ATTN DT-1B2 R. MORTON
O1CY ATTN HQ-TR J. STEWART
O1CY ATTN W. WITTIG DC-70

DIRECTOR
DEFENSE NUCLEAR AGENCY
WASHINGTON, D.C. 20305
O1CY ATTN STVL
O4CY ATTN TITL
O1CY ATTN DOST
O3CY ATTN RAAE

COMMANDER
FIELD COMMAND
DEFENSE NUCLEAR AGENCY
KIRTLAND AFB, NM 87115
O1CY ATTN PCPR

DIRECTOR
INTERSERVICE NUCLEAR WEAPONS SCHOOL
KIRTLAND AFB, NM 87115
O1CY ATTN DOCUMENT CONTROL

JOINT CHIEFS OF STAFF
WASHINGTON, D.C. 20301
O1CY ATTN J-3 NMCCS EVALUATION OFFICE

DIRECTOR
JOINT STRAT TGT PLANNING STAFF
OFFUTT AFB
OMAHA, NB 68113
O1CY ATTN JLTW-2
O1CY ATTN JPST G. GOETZ

CHIEF
LIVERMORE DIVISION FLD COMMAND DNA
DEPARTMENT OF DEFENSE
LAWRENCE LIVERMORE LABORATORY
P. O. BOX 808
LIVERMORE, CA 94550
O1CY ATTN FCPRL

DIRECTOR
NATIONAL SECURITY AGENCY
DEPARTMENT OF DEFENSE
FT. GEORGE G. MEADE, MD 20755
O1CY ATTN JOHN SKILLMAN R52
O1CY ATTN FRANK LEONARD
O1CY ATTN W14 PAT CLARK
O1CY ATTN OLIVER M. BARTLETT W32
O1CY ATTN R5

COMMANDANT
NATO SCHOOL (SHAPE)
APO NEW YORK 09172
O1CY ATTN U.S. DOCUMENTS OFFICER

UNDER SECY OF DEF FOR RSCH & ENGRG
DEPARTMENT OF DEFENSE
WASHINGTON, D.C. 20301
O1CY ATTN STRATEGIC & SPACE SYSTEMS (OS)

WMCCS SYSTEM ENGINEERING ORG
WASHINGTON, D.C. 20305
O1CY ATTN R. CRAWFORD

COMMANDER/DIRECTOR
ATMOSPHERIC SCIENCES LABORATORY
U.S. ARMY ELECTRONICS COMMAND
WHITE SANDS MISSILE RANGE, NM 88002
O1CY ATTN DELAS-EO F. NILES

DIRECTOR
BMD ADVANCED TECH CTR
HUNTSVILLE OFFICE
P. O. BOX 1500
HUNTSVILLE, AL 35807
O1CY ATTN ATC-T MELVIN T. CAPPS
O1CY ATTN ATC-J W. DAVIES
O1CY ATTN ATC-R DON RUSS

PROGRAM MANAGER
BMD PROGRAM OFFICE
5001 EISENHOWER AVENUE
ALEXANDRIA, VA 22333
O1CY ATTN DACS-3MT J. SHEA

CHIEF C-E SERVICES DIVISION
U.S. ARMY COMMUNICATIONS CMD
PENTAGON RM 1B269
WASHINGTON, D.C. 20310
O1CY ATTN C-E-SERVICES DIVISION

COMMANDER
PRADCOM TECHNICAL SUPPORT ACTIVITY
DEPARTMENT OF THE ARMY
FORT MONMOUTH, N.J. 07703
O1CY ATTN DRSEL-NL-RD H. BENNET
O1CY ATTN DRSEL-PL-ENV H. SOMKE
O1CY ATTN J. E. QUIGLEY

COMMANDER
HARRY DIAMOND LABORATORIES
DEPARTMENT OF THE ARMY
2800 POWDER MILL ROAD
ADELPHI, MD 20783
(CNMDI-INNER ENVELOPE: ATTN: DELHD-RBM)
O1CY ATTN DELHD-TI M. WEINER
O1CY ATTN DELHD-RB R. WILLIAMS
O1CY ATTN DELHD-NP F. WIMENITZ
O1CY ATTN DELHD-NP C. MOAZED

COMMANDER
U.S. ARMY COMM-ELEC ENGRG INSTAL AGY
FT. HUACHUCA, AZ 85613
O1CY ATTN CCC-EMEO GEORGE LANE

COMMANDER
U.S. ARMY FOREIGN SCIENCE & TECH CTR
220 7TH STREET, NE
CHARLOTTESVILLE, VA 22901
O1CY ATTN DRXST-SO
O1CY ATTN R. JONES

COMMANDER
U.S. ARMY MATERIEL DEV & READINESS CMD
5001 EISENHOWER AVENUE
ALEXANDRIA, VA 22333
O1CY ATTN DRCLDC J. A. BENDER

COMMANDER
U.S. ARMY NUCLEAR AND CHEMICAL AGENCY
7500 BACKLICK ROAD
BLDG 2073
SPRINGFIELD, VA 22150
O1CY ATTN LIBRARY

DIRECTOR
U.S. ARMY BALLISTIC RESEARCH LABS
ABERDEEN PROVING GROUND, MD 21005
O1CY ATTN TECH LIB EDWARD BAICY

COMMANDER
U.S. ARMY SATCOM AGENCY
FT. MONMOUTH, NJ 07703
O1CY ATTN DOCUMENT CONTROL

COMMANDER
U.S. ARMY MISSILE INTELLIGENCE AGENCY
REDSTONE ARSENAL, AL 35809
O1CY ATTN JIM GAMBLE

DIRECTOR
U.S. ARMY TRADOC SYSTEMS ANALYSIS ACTIVITY
WHITE SANDS MISSILE RANGE, NM 88002
O1CY ATTN ATAA-SA
O1CY ATTN TCC/F. PAYAN JR.
O1CY ATTN ATAA-TAC LTC J. HESSE

COMMANDER
NAVAL ELECTRONIC SYSTEMS COMMAND
WASHINGTON, D.C. 20360
O1CY ATTN NAVALEX 034 T. HUGHES
O1CY ATTN PME 117
O1CY ATTN PME 117-T
O1CY ATTN CODE 5011

COMMANDING OFFICER
NAVAL INTELLIGENCE SUPPORT CTR
4301 SUITLAND ROAD, BLDG. 5
WASHINGTON, D.C. 20390
O1CY ATTN MR. DUBBIN STIC 12
O1CY ATTN NISC-50
O1CY ATTN CODE 5404 J. GALET

COMMANDER
NAVAL SURFACE WEAPONS CENTER
DAHLGREN LABORATORY
DAHLGREN, VA 22448
O1CY ATTN CODE DF-14 R. BUTLER

COMMANDING OFFICER
NAVY SPACE SYSTEMS ACTIVITY
P.O. BOX 92960
WORLDWAY POSTAL CENTER
LOS ANGELES, CA. 90009
O1CY ATTN CODE 52

OFFICE OF NAVAL RESEARCH
ARLINGTON, VA 22217
O1CY ATTN CODE 465
O1CY ATTN CODE 461
O1CY ATTN CODE 402
O1CY ATTN CODE 420
O1CY ATTN CODE 421

COMMANDER
AEROSPACE DEFENSE COMMAND/DC
DEPARTMENT OF THE AIR FORCE
ENT AFB, CO 80912
O1CY ATTN DC MR. LONG

COMMANDER
AEROSPACE DEFENSE COMMAND/XPD
DEPARTMENT OF THE AIR FORCE
ENT AFB, CO 80912
O1CY ATTN XPDQ
O1CY ATTN XP

AIR FORCE GEOPHYSICS LABORATORY
HANSCOM AFB, MA 01731
O1CY ATTN OPR HAROLD GARDNER
O1CY ATTN OPR-1 JAMES C. ULWICK
O1CY ATTN LKB KENNETH S. W. CHAMPION
O1CY ATTN OPR ALVA T. STAIR
O1CY ATTN PHP JULES AARONS
O1CY ATTN PHO JURGEN BUCHAU
O1CY ATTN PHO JOHN P. MULLEN

AF WEAPONS LABORATORY
KIRTLAND AFB, NM 87117
O1CY ATTN SUL
O1CY ATTN CA ARTHUR M. GUENTHER
O1CY ATTN OYC CAPT J. BARRY
O1CY ATTN OYC JOHN M. KAHM
O1CY ATTN OYT CAPT MARK A. FRY
O1CY ATTN DES MAJ GARY GANONG
O1CY ATTN OYC J. JANNI

AFTAC
PATRICK AFB, FL 32925
O1CY ATTN TF/MAJ WILEY
O1CY ATTN TN

AIR FORCE AVIONICS LABORATORY
WRIGHT-PATTERSON AFB, OH 45433
O1CY ATTN AAD WADE MUNT
O1CY ATTN AAD ALLEN JOHNSON

DEPUTY CHIEF OF STAFF
RESEARCH, DEVELOPMENT, & ACQ
DEPARTMENT OF THE AIR FORCE
WASHINGTON, D.C. 20330
O1CY ATTN APRDQ

HEADQUARTERS
ELECTRONIC SYSTEMS DIVISION/XR
DEPARTMENT OF THE AIR FORCE
HANSCOM AFB, MA 01731
O1CY ATTN XR J. DEAS

HEADQUARTERS
ELECTRONIC SYSTEMS DIVISION/YSEA
DEPARTMENT OF THE AIR FORCE
HANSCOM AFB, MA 01731
O1CY ATTN YSEA

COMMANDER
NAVAL OCEAN SYSTEMS CENTER
SAN DIEGO, CA 92152
O1CY ATTN CODE 532 W. MOLER
O1CY ATTN CODE 0230 C. BAGGETT
O1CY ATTN CODE 81 R. EASTMAN

DIRECTOR
NAVAL RESEARCH LABORATORY
WASHINGTON, D.C. 20375
O1CY ATTN CODE 5700 TIMOTHY P. COFFEY
(25 CYS IF UNCLASS, 1 CY IF CLASS)
O1CY ATTN CODE 6701 JACK D. BROWN
O1CY ATTN CODE 5780 BRANCH HEAD (150 CYS
IF UNCLASS, 1 CY IF CLASS)
O1CY ATTN CODE 7500 HQ COMM DIR BRUCE WALD
O1CY ATTN CODE 7550 J. DAVIS
O1CY ATTN CODE 7580
O1CY ATTN CODE 7551
O1CY ATTN CODE 7555
O1CY ATTN CODE 6730 E. MCLEAN
O1CY ATTN CODE 7127 C. JOHNSON

COMMANDER
NAVAL SEA SYSTEMS COMMAND
WASHINGTON, D.C. 20352
O1CY ATTN CAPT R. PITKIN

COMMANDER
NAVAL SPACE SURVEILLANCE SYSTEM
DAHLGREN, VA 22448
O1CY ATTN CAPT J. H. BURTON

OFFICER-IN-CHARGE
NAVAL SURFACE WEAPONS CENTER
WHITE OAK, SILVER SPRING, MD 20910
O1CY ATTN CODE F31

DIRECTOR
STRATEGIC SYSTEMS PROJECT OFFICE
DEPARTMENT OF THE NAVY
WASHINGTON, D.C. 20376
O1CY ATTN NSP-2141
O1CY ATTN NSSP-2722 FRED WIMBERLY

NAVAL SPACE SYSTEM ACTIVITY
P. O. BOX 92960
WORLDWAY POSTAL CENTER
LOS ANGELES, CALIF. 90009
O1CY ATTN A. B. HAZZARD

HEADQUARTERS
ELECTRONIC SYSTEMS DIVISION/DC
DEPARTMENT OF THE AIR FORCE
HANSCOM AFB, MA 01731
O1CY ATTN DOK MAJ J. C. CLARK

COMMANDER
FOREIGN TECHNOLOGY DIVISION, AFSC
WRIGHT-PATTERSON AFB, OH 45433
O1CY ATTN NICD LIBRARY
O1CY ATTN ETDP B. BALLARD

COMMANDER
ROME AIR DEVELOPMENT CENTER, AFSC
GRIFFISS AFB, NY 13441
O1CY ATTN DOC LIBRARY/TSLO
O1CY ATTN UCSE V. COYNE

SAMSO/SZ
POST OFFICE BOX 92960
WORLDWAY POSTAL CENTER
LOS ANGELES, CA 90009
(SPACE DEFENSE SYSTEMS)
O1CY ATTN SZU

STRATEGIC AIR COMMAND/XPFS
OFFUTT AFB, NB 68113
O1CY ATTN XPFS MAJ B. STEPHAN
O1CY ATTN ADWATE MAJ BRUCE BAUER
O1CY ATTN NRT
O1CY ATTN DOK CHIEF SCIENTIST

SAMSO/YA
P. O. BOX 92960
WORLDWAY POSTAL CENTER
LOS ANGELES, CA 90009
O1CY ATTN YAT CAPT L. BLACKWELDER

SAMSO/SK
P. O. BOX 92960
WORLDWAY POSTAL CENTER
LOS ANGELES, CA 90009
O1CY ATTN SKA (SPACE COMM SYSTEMS) M. CLAVIN

SAMSO/MN
NORTON AFB, CA 92409
(MINUTEMAN)
O1CY ATTN MNML LTC KENNEDY

COMMANDER
ROME AIR DEVELOPMENT CENTER, AFSC
HANSCOM AFB, MA 01731
O1CY ATTN EEP A. LORENTZEN

DEPARTMENT OF ENERGY

DEPARTMENT OF ENERGY
ALBUQUERQUE OPERATIONS OFFICE
P. O. BOX 5400
ALBUQUERQUE, NM 87115
O1CY ATTN DOC CON FOR D. SHERWOOD

DEPARTMENT OF ENERGY
LIBRARY ROOM G-042
WASHINGTON, D.C. 20545
O1CY ATTN DOC CON FOR A. LABOWITZ

EG&G, INC.
LOS ALAMOS DIVISION
P. O. BOX 809
LOS ALAMOS, NM 85544
O1CY ATTN DOC CON FOR J. BREEDLOVE

UNIVERSITY OF CALIFORNIA
LAWRENCE LIVERMORE LABORATORY
P. O. BOX 808
LIVERMORE, CA 94550
O1CY ATTN DOC CON FOR TECH INFO DEPT
O1CY ATTN DOC CON FOR L-389 R. OTT
O1CY ATTN DOC CON FOR L-31 R. HAGER
O1CY ATTN DOC CON FOR L-46 F. SEWARD

LOS ALAMOS SCIENTIFIC LABORATORY
P. O. BOX 1663
LOS ALAMOS, NM 87545
O1CY ATTN DOC CON FOR J. WOLCOTT
O1CY ATTN DOC CON FOR R. F. TASCHKE
O1CY ATTN DOC CON FOR E. JONES
O1CY ATTN DOC CON FOR J. MALIK
O1CY ATTN DOC CON FOR R. JEFFRIES
O1CY ATTN DOC CON FOR J. ZINN
O1CY ATTN DOC CON FOR P. KEATON
O1CY ATTN DOC CON FOR D. WESTERVELT

SANDIA LABORATORIES
P. O. BOX 5800
ALBUQUERQUE, NM 87115
O1CY ATTN DOC CON FOR J. MARTIN
O1CY ATTN DOC CON FOR W. BROWN
O1CY ATTN DOC CON FOR A. THORNBROUGH
O1CY ATTN DOC CON FOR T. WRIGHT
O1CY ATTN DOC CON FOR D. DAHLGREN
O1CY ATTN DOC CON FOR 3141
O1CY ATTN DOC CON FOR SPACE PROJECT DIV

SANDIA LABORATORIES
LIVERMORE LABORATORY
P. O. BOX 969
LIVERMORE, CA 94550
O1CY ATTN DOC CON FOR B. MURPHY
O1CY ATTN DOC CON FOR T. COOK

OFFICE OF MILITARY APPLICATION
DEPARTMENT OF ENERGY
WASHINGTON, D.C. 20545
O1CY ATTN DOC CON FOR D. GALE

OTHER GOVERNMENT

CENTRAL INTELLIGENCE AGENCY
ATTN RD/51, RM 5G48, HQ BLDG
WASHINGTON, D.C. 20505
O1CY ATTN OSI/PSIO RM 5F 19

DEPARTMENT OF COMMERCE
NATIONAL BUREAU OF STANDARDS
WASHINGTON, D.C. 20234
(ALL CORRES: ATTN SEC OFFICER FOR)
O1CY ATTN R. MOORE

DEPARTMENT OF TRANSPORTATION
OFFICE OF THE SECRETARY
TAD-44.1, ROOM 10402-3
400 7TH STREET, S.W.
WASHINGTON, D.C. 20590
O1CY ATTN R. LEWIS
O1CY ATTN R. DOWERTY

INSTITUTE FOR TELECOM SCIENCES
NATIONAL TELECOMMUNICATIONS & INFO ADMIN
BOULDER, CO 80303
O1CY ATTN A. JEAN (UNCLASS ONLY)
O1CY ATTN W. UTLAUT
O1CY ATTN D. CROMBIE
O1CY ATTN L. BERRY

NATIONAL OCEANIC & ATMOSPHERIC ADMIN
ENVIRONMENTAL RESEARCH LABORATORIES
DEPARTMENT OF COMMERCE
BOULDER, CO 80302
O1CY ATTN R. GRUBB
O1CY ATTN AERONOMY LAB G. REID

DEPARTMENT OF DEFENSE CONTRACTORS

AEROSPACE CORPORATION
P. O. BOX 92957
LOS ANGELES, CA 90009
O1CY ATTN I. GARFUNKEL
O1CY ATTN T. SALMI
O1CY ATTN V. JOSEPHSON
O1CY ATTN S. BOWER
O1CY ATTN N. STOCKWELL
O1CY ATTN D. OLSEN
O1CY ATTN J. CARTER
O1CY ATTN F. MORSE
O1CY ATTN SMFA FOR PWM

ANALYTICAL SYSTEMS ENGINEERING CORP
5 OLD CONCORD ROAD
BURLINGTON, MA 01803
O1CY ATTN RADIO SCIENCES

BERKELEY RESEARCH ASSOCIATES, INC.
P. O. BOX 983
BERKELEY, CA 94701
O1CY ATTN J. WORKMAN

BOEING COMPANY, THE
P. O. BOX 3707
SEATTLE, WA 98124
O1CY ATTN G. KEISTER
O1CY ATTN D. MURRAY
O1CY ATTN G. MALL
O1CY ATTN J. KENNEY

CALIFORNIA AT SAN DIEGO, UNIV OF
IPAPS, B-019
LA JOLLA, CA 92093
O1CY ATTN HENRY G. BOOKER

BROWN ENGINEERING COMPANY, INC.
CUMMINGS RESEARCH PARK
HUNTSVILLE, AL 35807
O1CY ATTN ROMEO A. DELIBERIS

CHARLES STARK DRAPER LABORATORY, INC.
555 TECHNOLOGY SQUARE
CAMBRIDGE, MA 02139
O1CY ATTN J. B. COX
O1CY ATTN J. P. GILMORE

COMPUTER SCIENCES CORPORATION
5565 ARLINGTON BLVD
FALLS CHURCH, VA 22046
O1CY ATTN M. BLANK
O1CY ATTN JOHN SPOOR
O1CY ATTN C. NAIL

COMSAT LABORATORIES
LINTHICUM ROAD
CLARKSBURG, MD 20734
O1CY ATTN G. HYDE

CORNELL UNIVERSITY
DEPARTMENT OF ELECTRICAL ENGINEERING
ITHACA, NY 14850
O1CY ATTN D. T. FARLEY JR

ELECTROSPACE SYSTEMS, INC.
BOX 1359
RICHARDSON, TX 75080
O1CY ATTN H. LOGSTON
O1CY ATTN SECURITY (PAUL PHILLIPS)

ESL INC.
495 JAVA DRIVE
SUNNYVALE, CA 94086
O1CY ATTN J. ROBERTS
O1CY ATTN JAMES MARSHALL
O1CY ATTN C. W. PRETTIE

FORD AEROSPACE & COMMUNICATIONS CORP
3939 FABIAN WAY
PALO ALTO, CA 94303
O1CY ATTN J. T. MATTINGLEY

GENERAL ELECTRIC COMPANY
SPACE DIVISION
VALLEY FORGE SPACE CENTER
GODDARD BLVD KING OF PRUSSIA
P. O. BOX 8555
PHILADELPHIA, PA 19101
O1CY ATTN M. H. BORTNER SPACE SCI LAB

GENERAL ELECTRIC COMPANY
P. O. BOX 1122
SYRACUSE, NY 13201
O1CY ATTN F. REIBERT

GENERAL ELECTRIC COMPANY
TEMPO-CENTER FOR ADVANCED STUDIES
816 STATE STREET (P.O. DRAWER CQ)
SANTA BARBARA, CA 93102
O1CY ATTN DASIAC
O1CY ATTN DON CHANDLER
O1CY ATTN TOM BARRETT
O1CY ATTN TIM STEPHANS
O1CY ATTN WARREN S. KNAPP
O1CY ATTN WILLIAM MCNAMARA
O1CY ATTN B. GAMBILL
O1CY ATTN JACK STANTON

GENERAL ELECTRIC TECH SERVICES CO., INC.
405
COURT STREET
SYRACUSE, NY 13201
OICY ATTN G. MILLMAN

GENERAL RESEARCH CORPORATION
SANTA BARBARA DIVISION
P. O. BOX 6770
SANTA BARBARA, CA 93111
OICY ATTN JOHN ISE JR
OICY ATTN JOEL GARBARINO

GEOPHYSICAL INSTITUTE
UNIVERSITY OF ALASKA
FAIRBANKS, AK 99701
(CALL CLASS ATTN: SECURITY OFFICER)
OICY ATTN T. N. DAVIS (UNCL ONLY)
OICY ATTN NEAL BROWN (UNCL ONLY)
OICY ATTN TECHNICAL LIBRARY

GTE SYLVANIA, INC.
ELECTRONICS SYSTEMS GRP-EASTERN DIV
77 A STREET
NEEDHAM, MA 02194
OICY ATTN MARSHAL CROSS

ILLINOIS, UNIVERSITY OF
DEPARTMENT OF ELECTRICAL ENGINEERING
URBANA, IL 61803
OICY ATTN K. YEH

ILLINOIS, UNIVERSITY OF
107 COBLE MALL
801 S. WRIGHT STREET
URBANA, IL 60680
(CALL CORRES ATTN SECURITY SUPERVISOR FOR)
OICY ATTN K. YEH

INSTITUTE FOR DEFENSE ANALYSES
400 ARMY-NAVY DRIVE
ARLINGTON, VA 22202
OICY ATTN J. M. AEIN
OICY ATTN ERNEST BAUER
OICY ATTN MANS WOLFFHARD
OICY ATTN JOEL BENGSTON

HSS, INC.
2 ALFRED CIRCLE
BEDFORD, MA 01730
OICY ATTN DONALD HANSEN

INTL TEL & TELEGRAPH CORPORATION
500 WASHINGTON AVENUE
NUTLEY, NJ 07110
OICY ATTN TECHNICAL LIBRARY

JAYCOR
1401 CAMINO DEL MAR
DEL MAR, CA 92014
OICY ATTN S. R. GOLDMAN

JOHNS HOPKINS UNIVERSITY
APPLIED PHYSICS LABORATORY
JOHNS HOPKINS ROAD
LAUREL, MD 20810
OICY ATTN DOCUMENT LIBRARIAN
OICY ATTN THOMAS POTEMBA
OICY ATTN JOHN DASSOULAS

LOCKHEED MISSILES & SPACE CO INC
P. O. BOX 504
SUNNYVALE, CA 94088
OICY ATTN DEPT 50-12
OICY ATTN D. R. CHURCHILL

LOCKHEED MISSILES AND SPACE CO INC
3251 HANOVER STREET
PALO ALTO, CA 94304
OICY ATTN MARTIN WALT DEPT 52-10
OICY ATTN RICHARD G. JOHNSON DEPT 52-12
OICY ATTN W. L. IMHOFF DEPT 52-12

KAMAN SCIENCES CORP
P. O. BOX 7463
COLORADO SPRINGS, CO 80933
OICY ATTN T. MEAGHER

LINKABIT CORP
10453 ROSELLE
SAN DIEGO, CA 92121
OICY ATTN IRWIN JACOBS

LOWELL RSCH FOUNDATION, UNIVERSITY OF
450 AIKEN STREET
LOWELL, MA 01854
OICY ATTN K. 318L

M.I.T. LINCOLN LABORATORY
P. O. BOX 73
LEXINGTON, MA 02173
OICY ATTN DAVID M. TOWLE
OICY ATTN P. WALDRON
OICY ATTN L. LOUGHLIN
OICY ATTN D. CLARK

MARTIN MARIETTA CORP
ORLANDO DIVISION
P. O. BOX 5837
ORLANDO, FL 32805
OICY ATTN R. HEFFNER

MCDONNELL DOUGLAS CORPORATION
5301 BOLSA AVENUE
HUNTINGTON BEACH, CA 92647
OICY ATTN N. HARRIS
OICY ATTN J. MOULE
OICY ATTN GEORGE MROZ
OICY ATTN W. OLSON
OICY ATTN R. W. MALPRIN
OICY ATTN TECHNICAL LIBRARY SERVICES

MISSION RESEARCH CORPORATION
735 STATE STREET
SANTA BARBARA, CA 93101
OICY ATTN P. FISCHER
OICY ATTN W. F. CREVIER
OICY ATTN STEVEN L. GUTSCHE
OICY ATTN D. SAPPENFIELD
OICY ATTN R. BOGUSCH
OICY ATTN R. HENDRICK
OICY ATTN RALPH KILB
OICY ATTN DAVE SCHLE
OICY ATTN F. FAUEN
OICY ATTN M. SCHEIBE
OICY ATTN CONRAD L. LONGMIRE
OICY ATTN WARREN A. SCHLUETER

MITRE CORPORATION, THE
P. O. BOX 208
BEDFORD, MA 01730
OICY ATTN JOHN MORGANSTERN
OICY ATTN G. HARDING
OICY ATTN C. E. CALLAHAN

MITRE CORP
WESTGATE RESEARCH PARK
1820 DOLLY MADISON BLVD
MCLEAN, VA 22101
OICY ATTN W. MALL
OICY ATTN W. FOSTER

PACIFIC-SIERRA RESEARCH CORP
1456 CLOVERFIELD BLVD.
SANTA MONICA, CA 90404
OICY ATTN E. C. FIELD JR

PENNSYLVANIA STATE UNIVERSITY
IONOSPHERE RESEARCH LAB
318 ELECTRICAL ENGINEERING EAST
UNIVERSITY PARK, PA 16802
(NO CLASSIFIED TO THIS ADDRESS)
OICY ATTN IONOSPHERIC RESEARCH LAB

PHOTOMETRICS, INC.
442 MARRETT ROAD
LEXINGTON, MA 02173
OICV ATTN IRVING L. KOFISKY

PHYSICAL DYNAMICS INC.
P. O. BOX 3027
BELLEVUE, WA 98009
OICV ATTN E. J. FREMOUW

PHYSICAL DYNAMICS INC.
P. O. BOX 1069
BERKELEY, CA 94701
OICV ATTN A. THOMPSON

R & D ASSOCIATES
P. O. BOX 9695
MARINA DEL REY, CA 90291
OICV ATTN FORREST GILMORE
OICV ATTN BRYAN GABBARD
OICV ATTN WILLIAM B. WRIGHT JR
OICV ATTN ROBERT F. LELEVIER
OICV ATTN WILLIAM J. KARZAS
OICV ATTN M. ORY
OICV ATTN C. MACDONALD
OICV ATTN R. TURCO

RAND CORPORATION, THE
1700 MAIN STREET
SANTA MONICA, CA 90406
OICV ATTN CULLEN CRAIN
OICV ATTN ED BEDROZIAN

RIVERSIDE RESEARCH INSTITUTE
80 WEST END AVENUE
NEW YORK, NY 10023
OICV ATTN VINCE TRAPANI

SCIENCE APPLICATIONS, INC.
P. O. BOX 2351
LA JOLLA, CA 92038
OICV ATTN LEWIS M. LINSON
OICV ATTN DANIEL A. HAMLIN
OICV ATTN D. SACHS
OICV ATTN E. A. STRAKER
OICV ATTN CURTIS A. SMITH
OICV ATTN JACK MCDUGALL

RAYTHEON CO.
528 BOSTON POST ROAD
SUDBURY, MA 01776
OICV ATTN BARBARA ADAMS

SCIENCE APPLICATIONS, INC.
HUNTSVILLE DIVISION
2109 W. CLINTON AVENUE
SUITE 700
HUNTSVILLE, AL 35805
OICV ATTN DALE H. DIVIS

SCIENCE APPLICATIONS, INCORPORATED
8400 WESTPARK DRIVE
MCLEAN, VA 22101
OICV ATTN J. COCKAYNE

SCIENCE APPLICATIONS, INC.
80 MISSION DRIVE
PLEASANTON, CA 94566
OICV ATTN SZ

SRI INTERNATIONAL
333 RAVENSWOOD AVENUE
MENLO PARK, CA 94025
OICV ATTN DONALD NEILSON
OICV ATTN ALAN BURNS
OICV ATTN G. SMITH
OICV ATTN L. L. COBB
OICV ATTN DAVID A. JOHNSON
OICV ATTN WALTER G. CHESNUT
OICV ATTN CHARLES L. RINO
OICV ATTN WALTER JAYE
OICV ATTN M. BARON
OICV ATTN RAY L. LEADABRAND
OICV ATTN G. CARPENTER
OICV ATTN G. PRICE
OICV ATTN J. PETERSON
OICV ATTN R. HAKE, JR.
OICV ATTN V. GONZALES
OICV ATTN D. MCDANIEL

TECHNOLOGY INTERNATIONAL CORP
75 WIGGINS AVENUE
BEDFORD, MA 01730
OICV ATTN W. P. BOQUIST

TRW DEFENSE & SPACE SYS GROUP
ONE SPACE PARK
REDONDO BEACH, CA 90278
OICV ATTN R. K. PLEBUCH
OICV ATTN S. ALTSCHULER
OICV ATTN D. DEE

VISIDYNE, INC.
19 THIRD AVENUE
NORTH WEST INDUSTRIAL PARK
BURLINGTON, MA 01803
OICV ATTN CHARLES HUMPHREY
OICV ATTN J. W. CARPENTER

IONOSPHERIC MODELING DISTRIBUTION LIST
UNCLASSIFIED ONLY

PLEASE DISTRIBUTE ONE COPY TO EACH OF THE FOLLOWING PEOPLE:

ADVANCED RESEARCH PROJECTS AGENCY (ARPA)
STRATEGIC TECHNOLOGY OFFICE
ARLINGTON, VIRGINIA

CAPT. DONALD M. LEVINE

NAVAL RESEARCH LABORATORY
WASHINGTON, D.C. 20375

DR. P. MANGE
DR. R. MEIER
DR. E. SZUSCZEWICZ - CODE 7127
DR. TIMOTHY COFFEY - CODE 6700
DR. S. OSSAKOW - CODE 6780
DR. J. GOODMAN - CODE 7560

SCIENCE APPLICATIONS, INC.
1250 PROSPECT PLAZA
LA JOLLA, CALIFORNIA 92037

DR. D. A. HAMLIN
DR. L. LINSON
DR. D. SACHS

DIRECTOR OF SPACE AND ENVIRONMENTAL LABORATORY
NOAA
BOULDER, COLORADO 80302

DR. A. GLENN JEAN
DR. G. W. ADAMS
DR. D. N. ANDERSON
DR. K. DAVIES
DR. R. F. DONNELLY

A. F. GEOPHYSICS LABORATORY
L. G. HANSON FIELD
BEDFORD, MASS. 01730

DR. T. ELKINS
DR. W. SWIDER
MRS. R. SAGALYN
DR. J. M. FORBES
DR. T. J. KENESHEA
DR. J. AARONS

OFFICE OF NAVAL RESEARCH
800 NORTH QUINCY STREET
ARLINGTON, VIRGINIA 22217

DR. H. MULLANEY

COMMANDER
NAVAL ELECTRONICS LABORATORY CENTER
SAN DIEGO, CALIFORNIA 92152

DR. M. BLEIWEISS
DR. I. ROTHMULLER
DR. V. HILDEBRAND
MR. R. ROSE

U. S. ARMY ABERDEEN RESEARCH AND DEVELOPMENT CENTER
BALLISTIC RESEARCH LABORATORY
ABERDEEN, MARYLAND

DR. J. HEIMERL

COMMANDER
NAVAL AIR SYSTEMS COMMAND
DEPARTMENT OF THE NAVY
WASHINGTON, D.C. 20350

DR. T. CZUBA

HARVARD UNIVERSITY
HARVARD SQUARE
CAMBRIDGE, MASS. 02138

DR. M. B. MCELROY
DR. R. LINDZEN

PENNSYLVANIA STATE UNIVERSITY
UNIVERSITY PARK, PENNSYLVANIA 16802

DR. J. S. NISBET
DR. P. R. ROHRBAUGH
DR. D. E. BARAN
DR. L. A. CARPENTER
DR. M. LEE
DR. R. DIVANY
DR. P. BENNETT
DR. E. KLEVANS

UNIVERSITY OF CALIFORNIA, LOS ANGELES
405 HILLGARD AVENUE
LOS ANGELES, CALIFORNIA 90024

DR. F. V. CORONITI
DR. C. KENNEL

UNIVERSITY OF CALIFORNIA, BERKELEY
BERKELEY, CALIFORNIA 94720

DR. M. HUDSON

UTAH STATE UNIVERSITY
4TH N. AND 8TH STREETS
LOGAN, UTAH 84322

DR. P. M. BANKS
DR. R. HARRIS
DR. V. PETERSON
DR. R. MEGILL
DR. K. BAKER

CORNELL UNIVERSITY
ITHACA, NEW YORK 14850

DR. W. E. SWARTZ
DR. R. SUDAN
DR. D. FARLEY
DR. M. KELLEY
DR. E. OTT

NASA
GOODARD SPACE FLIGHT CENTER
GREENBELT, MARYLAND 20771

DR. S. CHANDRA
DR. K. MAEDO

PRINCETON UNIVERSITY
PLASMA PHYSICS LABORATORY
PRINCETON, NEW JERSEY 08540

DR. F. PERKINS
DR. E. FRIEMAN

INSTITUTE FOR DEFENSE ANALYSIS
400 ARMY/NAVY DRIVE
ARLINGTON, VIRGINIA 22202

DR. E. SAUER

UNIVERSITY OF PITTSBURGH
PITTSBURGH, PA. 15213

DR. N. ZABUSKY
DR. M. BIGNOI